EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	(filter$3 with ((reduc$4 decreas$3) near5 (strength support)) with (visual human))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 11:08
L2	246248	(filter$3 near5 strength support) with edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 11:09
L3	249	(filter$3 near5 strength) with edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 11:10
L4	28	((chang$3 adjust$3 alter$3 increas$3 decreas$3) near5 filter$3 near5 strength) with edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 11:32
L5	0	((chang$3 adjust$3 alter$3 increas$3 decreas$3) near5 filter$3 near5 strength) with (edge near3 (amount quantity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 11:38
L6	0	((chang$3 adjust$3 alter$3 increas$3 decreas$3) with (filter$3 near5 strength)) with (edge near3 (amount quantity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 11:39
L7	8	(filter$3 near5 strength) with (edge near3 (amount quantity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 12:23
L8	4710	382/232,239,261-263;375/242.02. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 12:24
S1	36	sarna-lalit.in. vidiator.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:50

S2	84	((adaptive$2 dynamic$4) near5 filter$3) with texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:30
S3	17	S2 and (video with (encod$3 compress$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 10:41
S4	42707	((adaptive$2 dynamic$4 feed$1back) with (smooth$3 averag$3 ((remov$3 reduc$4) near5 high$1frequenc$3) ((low low$1pass) adj3 filter$3) LPF))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:06
S5	750	(video near5 (encod$3 compress$3)) with pre$1process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 10:45
S6	1175	(video near5 (encod$3 compress$3)) same pre$1process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:37
S7	2	S2 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 10:46
S8	81	S4 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 10:46
S9	49	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 10:47
S10	2	((adaptive$2 dynamic$4) near5 (smooth$3 filter$3)) with texture with non$1linear$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:14
S11	95	(smooth$3 filter$3) with texture with non$1linear$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:33

EAST Search History

S12	0	S6 and ((smooth$3 filter$3) with texture with non$1linear$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:37
S13	18	(non$1linear$2 adj1 (smooth$3 filter$3)) with texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:35
S14	1	(non$1linear$2 adj1 filter$3) with (smooth$3 near5 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:41
S15	132	filter$3 with (smooth$3 near5 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:37
S16	101	filter$3 with (smooth$3 near3 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:37
S17	21	S15 and (video near5 (encod$3 compress$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 12:05
S18	1	(non$1linear$2 adj3 (((smooth$3 low low$1pass) adj1 filter$3) LPH) with texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 14:54
S19	1	(non$1linear$2 adj3 (((smooth$3 low low$1pass) adj1 filter$3) LPF) with texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:43
S20	26	(non$1linear$2 with (((smooth$3 averag$3 low low$1pass) near5 filter$3) LPF) same texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 11:44
S21	130	(smooth$3 near5 texture) and (video near5 (encod$3 compress$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 12:05

EAST Search History

S22	12	(smooth$3 near5 texture) same (video near5 (encod$3 compress$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 12:05
S23	692	((adaptive$3 alter$3 chang$3 vary$3) with filter with (support shape size) with (strength seight coefficient))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:10
S24	22	((adapt$5 alter$3 chang$3 vary$3) with filter with (support) with (strength))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:09
S25	129	(video image) same ((adapt$5 alter$3 chang$3 vary$3) with filter with (support shape size) with (strength weight coefficient))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:13
S26	32	(video image) same ((adapt$5 alter$3 chang$3 vary$3) with filter with (support shape size) with (strength weight))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:13
S27	0	(((smooth$3 low low$1pass) adj1 filter$3) LPH) with ((object target foreground subject) near5 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 15:47
S28	7	(((smooth$3 low low$1pass) adj1 filter$3) LPH) with ((object target foreground subject) with texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 15:11
S29	9	(((smooth$3 low low$1pass) adj1 filter$3) LPF) with ((object target foreground subject) with texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 15:32
S30	19	(((smooth$3 low low$1pass) adj1 filter$3) LPF) with ((region ROI area border boundar$3) with texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 15:33
S31	27	(((smooth$3 low low$1pass) adj1 filter$3) LPF) with ((frame with block with macro$1block) granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 15:56

EAST Search History

S32	70	(filter$3 with frame with block with macro$1block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 15:57
S33	9	(filter$3 with (select$4 chosen) with frame with block with macro$1block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 16:00
S34	1	(encod$3 compress$3) same (frame with block with macro$1block with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 16:02
S35	0	(process$3) same (frame with block with macro$1block with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 16:02
S36	6	(encod$3 compress$3) and (frame with block with macro$1block with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:41
S37	0	(smooth$3 low$1pass LPF) same ((adaptive$2 near5 Gaussian) with (support strength))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:03
S38	2	(smooth$3 low$1pass LPF) same (Gaussian with ((adaptive$2 different) near5 (support strength)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:06
S39	21	(smooth$3 low$1pass LPF) same (adaptive$2 near5 Gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:35
S40	6	(non$1linear near5 (smooth$3 low$1pass LPF)) with texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:38
S41	39	(non$1linear near5 filter$3) with texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:43

EAST Search History

S42	9	(non$1linear with smooth$3 with texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:24
S43	10579	(filter$3 near5 strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:25
S44	0	(adjust$4 increas$3 decreas$3 chang$3 alter$3) with (filter$3 near5 strength) with ((compar$3 difference) near5 (previous old) near5 (current new))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:26
S45	6	(adjust$4 increas$3 decreas$3 chang$3 alter$3) with (filter$3 near5 strength) with ((compar$3 difference) near5 (previous old current new))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:28
S46	2	(filter$3) and (frame with block with macro$1block with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:47
S47	48	(filter$3 with select$4 with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:52
S48	3	(pre$1process$3 with (choos$3 chosen different select$4) with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:55
S49	13782	((pre$1process$3 filter$3) with (choos$3 chosen different select$4) with (block macroblock frame granularity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:48
S50	6	(block with macroblock with frame with granularity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S51	56312	((process$3 filter$3) with (choos$3 select$4) with (block macroblock frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:00

EAST Search History

S52	65	((process$3 filter$3) with (choos$3 select$4) with (block with macroblock with frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:12
S53	57	S52 and (MPEG JPEG2000 JPEG2K)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:02
S54	57	S52 and (MPEG)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:15
S55	4	S52 same (MPEG)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:02
S56	1417	((pre$1proce$3 process$3 filter$3) with (choos$3 chosen select$4) with granular$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:13
S57	18	S56 and (MPEG)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 17:55
S58	9	(pre$1process$3 same ((adaptive adj filter$3) with (parameter criteri$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 17:59
S59	148	((adaptive adj filter$3) with ((select$3 determin$5) near5 (parameter criteri$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 18:02
S60	8	((adaptive adj filter$3) with ((select$3 determin$5) near5 (parameter criteri$2)) with weigh$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 18:02
S61	2876	((adaptive$2 dynamic$4) near5 (smooth$3 filter$3)) with (object target subject face ROI interest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:16

S62	1529	((adaptive$2 dynamic$4) near5 (smooth$3 filter$3)) with (object ROI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:16
S63	458	(adaptive$2 adj (smooth$3 filter$3)) with (object ROI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:16
S64	0	(adaptive$2 adj smooth$3) with (object ROI) with non$1linear$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:24
S65	34	((adaptive$2 dynamic$4) near5 (smooth$3 filter$3)) with (object target subject face ROI interest) with non$1linear$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:17
S66	0	(adaptive$2 adj smooth$3) with (object ROI) with median	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:24
S67	5	smooth$3 with (object ROI) with adaptive$2 with (kalman non$1linear$2 median)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:26
S68	16	(low$1pass smooth$3) with (object region subject face target ROI) with adaptive$2 with (kalman non$1linear$2 median)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:29
S69	34	(smooth$3) with (adaptive$2 near3 (kalman non$1linear$2 median))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:31
S70	13	(adaptive$2 near3 median) with (object texture region ROI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:40
S71	31	(noise smooth$3) with (adaptive$2 near3 (non$1linear kalman median)) with (object face target texture area region ROI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:52

EAST Search History

S72	207	(noise smooth$3) with (adaptive$2 near3 (median non$1linear))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:53
S73	9020	((detect$3 extract$3 locat$3 segmentation) near5 (object face target)) with (smooth$3 enhanc$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:17
S74	1	S72 same S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:55
S75	10	S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:12
S76	4	(compress$3 with pre$1process$3) same (((detect$3 extract$3 locat$3 segmentation) near5 (object face target)) with (smooth$3 enhanc$5 noise))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:14
S77	1266	(video near5 (object face target)) with (smooth$3 enhanc$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:17
S78	276	video with ((detect$3 extract$3 locat$3 segmentation) near5 (object face target)) with (smooth$3 enhanc$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:18
S79	94	smooth$3 with (object near5 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:30
S80	160	(filter$3 LPF) with (object near5 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:42
S81	18337	(filter$3 LPF smooth$3) near5 texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:42

EAST Search History

S82	756	(area region) with ((filter$3 LPF smooth$3) near5 texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:43
S83	57	(area region) with (smoothed smoothing) near5 texture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:02
S84	8200	(adaptive$2 near5 filter$3) with (support size strength coefficient value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:04
S85	330	(adaptive$2 near5 filter$3) with (support size) with (strength coefficient value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:11
S86	0	(adaptive$2 near5 filter$3) with (support) with (strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:05
S87	50	(adaptive$2 near5 filter$3) with (support kernel) with (strength coefficient value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:11
S88	57	(adaptive$2 near5 filter$3) with (support kernel) with (size strength coefficient value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:28
S89	0	(adaptive$2 near5 filter$3) with (support kernel) with (size shape) with (strength coefficient weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:28
S90	6	(adaptive$2 near5 filter$3) same (support kernel) with (size shape) same (strength coefficient weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:37
S91	11	(adaptive$2 near5 filter$3) same (support kernel) same (size shape) same (strength coefficient weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:33

EAST Search History

S92	2	"386538".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 15:34
S93	2	("6535632").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/27 15:34
S94	91	(filter$3 smooth$3 noise) with frame with macro$1block with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:18
S95	12	(filter$3 smooth$3 noise) same (frame with macro$1block with block with (level granular$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 11:30
S96	23	(select$3 choos$3 chosen) with (frame with macro$1block with block with (level granular$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:27
S97	44	(filter$3 smooth$3 noise process$3 pre$1process$3) same (frame with macro$1block with block with (level granular$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 11:55
S98	279	compression same ((filter$3 smooth$3 noise process$3 pre$1process$3) with (selectable switchable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 11:56
S99	40	compression same (filter$3 near5 (selectable switchable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 13:56
S100	73	(weight$3 near5 combin$5) with ((decision seclect$3) near5 (parameter criter$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 14:10
S101	74	(weight$3 near5 combin$5) with ((decision seclect$3) near5 (parameter criter$3 evidence))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:14

S10 2	12	(filter$3 near5 strength) with ((difference change varia$4) near5 (previous current past last))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:49
S10 3	2	("7272186").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 15:39
S10 4	355	(filter$3 near5 strength) near5 (difference change varia$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:50
S10 5	10	S104 same compress$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:51
S10 6	28	(encod$3 compress$3) with ((multiple plural$3 several) near3 output) with ((shar$3 common) near5 (process$3 data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:51
S10 7	41	(encod$3 compress$3) with ((one "same" unique) adj input) with ((multiple plural$3 several) adj output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 17:50
S10 8	237	((multiple plural$3 several) near3 (encod$3 compress$3 transcod$1)) with ((shar$3 common "same") near5 (process$3 pre$1process$3 filter$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:57
S10 9	26	((multiple plural$3 several) near3 (encod$3 compress$3 transcod$1)) with ((shar$3 common "same") near5 (filter$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:55
S11 0	9	((multiple plural$3 several) adj (encoder compresser transcoder)) with ((shar$3 common "same") near5 (process$3 pre$1process$3 filter$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 12:41
S11 1	44	video same ((smooth$3 LPF low$1pass) with (scene adj chang$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 13:09

S11 2	16	video same ((smooth$3 LPF low$1pass) with (image adj chang$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 13:09